

## 本センター研究者による公表論文リスト

2013 年

### ■査読のある論文

著者・著作名
Abrajevitch, A., Hori, R. S. and Kodama, K., Rock magnetic record of the Triassic–Jurassic transition in pelagic bedded chert of the Inuyama section, Japan, <i>Geology</i> , 41, 7, 803–806, 2013.
Arai, K., Naruse, H., Miura, R., Kawamura, K., Hino, R., Ito, Y., Inazu, D., Yokokawa, M., Izumi, N., Murayama, M. and Kasaya, T., Tsunami-generated turbidity current of the 2011 Tohoku–Oki earthquake, <i>Geology online</i> , 2013.
Asahi, H., Kender, S., Ikehara, M., Sakamoto, T., Takahashi, K., Ravelo, A. C., Alvarez Zarikian, C. A., Khim, B. K. and Leng, M. J., Orbital-scale benthic foraminiferal oxygen isotope stratigraphy at the northern Bering Slope Site U1343 (IODP Expedition 323) and its Pleistocene paleoceanographic significance, <i>Deep Sea Research II</i> , ( in press ).
Bijl, P. K., Bendle, J. A. P., Bohaty, S. M., Pross, J., Schouten, S., Tauxe, L., Stickley, C. E., McKay, R. M., Rohl, U., Olney, M., Sluijs, A., Escutia, C., Brinkhuis, H. and Expedition 318 Scientists, Eocene cooling linked to early flow across the Tasmanian Gateway, <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 110, 24, 9645–9650, 2013.
Blaise, T., Barbarand, J., Kars, M., Ploquin, F., Aubourg, C., Brigaud, B., Cathelineau, M., El Albani, A., Gautheron, C., Izart, A., Janots, D., Michels, R., Pagel, M., Pozzi, J–P., Boiron, M–C. and Landrein, P., Reconstruction of low temperature (< 100 ° C) burial in sedimentary basins: a comparison of geothermometer sensibility in the intracontinental Paris Basin, <i>Marine and Petroleum Geology</i> , 53, 71–87, 2014
Bolton, C. T., Chang, L., Clemens, S., Kodama, K., Ikehara, M., Medina–Elizalde, M., Paterson, G. A., Roberts, A. P., Rohling, E. J., Yamamoto, Y. and Zhao, X., A 500,000 year record of Indian summer monsoon dynamics recorded by eastern equatorial Indian Ocean upper water–column structure, <i>Quaternary Science Reviews</i> , 77, 167–180, 2013.
Bolton, C. T., Chang, L., Clemens, S., Kodama, K., Ikehara, M., Medina–Elizalde, M., Paterson, G. A., Roberts, A. P., Rohling, E. J., Yamamoto, Y. and Zhao, X., A 500,000 year record of Indian summer monsoon dynamics recorded by eastern equatorial Indian Ocean upper water–column structure, <i>Quaternary Science Reviews</i> , 77, 167–180, 2013.

<p>Bolton, C. T., Chang, L., Clemens, S., Kodama, K., Ikehara, M., Medina-Elizalde, M., Paterson, G. A., Roberts, A. P., Rohling, E. J., Yamamoto, Y. and Zhao, X., A 500,000 year record of Indian summer monsoon dynamics recorded by eastern equatorial Indian Ocean upper water-column structure, <i>Quaternary Science Reviews</i>, 77, 167–180, 2013.</p>
<p>Bouilloux, A., Valet, J-P., Bassinot, F., Joron, J-L., Blanc-Valleron, M-M., Moreno, E., Dewilde, F., Kars, M. and Lagroix, F., Diagenetic modulation of the magnetic properties in sediments from the Northern Indian Ocean, <i>Geochemistry Geophysics Geosystems</i>, 14(9), doi:10.1002/ggge.20234, 2013.</p>
<p>Chang, L., Winklhofer, M., Roberts, A. P., Heslop, D., Florindo, F., Dekkers, M. J., Krijgsman, W., Kodama, K. and Yamamoto, Y., Low-temperature magnetic properties of pelagic carbonates: Oxidation of biogenic magnetite and identification of magnetosome chains, <i>Journal of Geophysical Research: Solid Earth</i>, 118, 12, 6049–6065, 2013.</p>
<p>Cook, C., Van de Flierdt, T., Williams, T., Hemming, S. R., Iwai, M., Kobayashi, M., Jimenez-Espejo, F. J., Escutia, C., Gonzalez, J. J., Khim, B.-K., McKay, R. M., Passchier, S., Bohaty, S. M., Riesselman, C. R., Tauxe, L., Sugisaki, S., Galindo, A. L., Patterson, M. O., Sangiorgi, F., Pierce, E. L., Brinkhuis, H. and Scientists, I. E., Dynamic behaviour of the East Antarctic ice sheet during Pliocene warmth, <i>Nature Geoscience</i>, 6, 765–769, 2013.</p>
<p>Goo, K.-S., Tsuda, M. and Ulanova, D., <i>Salinispora arenicola</i> from Temperate Marine Sediments: New Intra-species Variations and Atypical Distribution of Secondary Metabolic Genes, <i>Antonie van Leeuwenhoek</i>, 105, 1, 207–219, 2014.</p>
<p>Guidry, E. P., Richter, C., Acton, G. D., Channell, J. E. T., Evans, H. F., Ohneiser, C., Yamamoto, Y. and Yamazaki, T., Oligocene-Miocene magnetostratigraphy of deep-sea sediments from the equatorial Pacific (IODP Site U1333), In: Jovane, L., Herrero-Bervera, E., Hinnov, L. A. &amp; Housen, B. A. (eds), <i>Magnetic Methods and the Timing of Geological Processes</i>. Geological Society, London, Special Publications, 373, 13–27, 2013.</p>
<p>Guo, H., Tanida, H., Kobayashi, R., Kawasaki, I., Sera, M., Nishioka, T., Matsumura, M., Watanabe, I. and Xu, Z.-a., Magnetic instability induced by Rh doping in the Kondo semiconductor CeRu<sub>2</sub>Al<sub>10</sub>, <i>Physical Review B</i>, 88, 11, 115206, 2013.</p>
<p>Hamahashi, M., Saito, S., Kimura, G., Yamaguchi, A., Fukuchi, R., Kameda, J., Hamada, Y., Kitamura, Y., Fujimoto, K., Hashimoto, Y., Hina, S. and Eida, M., Contrasts in physical properties between the hanging wall and footwall of an exhumed seismogenic megasplay fault in a subduction zone—An example from the Nobeoka crust Drilling Project, <i>Geochemistry, Geophysics, Geosystems</i>, 14, 12, 5354–5370, 2013.</p>
<p>Hashimoto, Y., Doi, N. and Tsuji, T., Difference in acoustic properties at seismogenic fault along a subduction interface: Application to estimation of effective pressure and fluid pressure ratio, <i>Tectonophysics</i>, 600, 134–141, 2013.</p>

<p>Hojo, M., Ohta, S., Ayabe, K., Okamura, K., Kobiro, K., and Chen, Z., Coordination ability of alkali metal or alkaline earth metal ions with aromatic dicarboxylate, sulfonate, or disulfonate ions in acetonitrile, <i>Journal of Molecular Liquids</i>, 177, 145–155, 2013</p>
<p>Ichie, T. and Nakagawa, M., Dynamics of mineral nutrient storage for mast reproduction in the tropical emergent tree <i>Dryobalanops aromatica</i>, <i>Ecological Research</i>, 28, 2, 151–158, 2013.</p>
<p>Ichie, T., Igarashi, S., Yoshida, S., Tanaka, K., Masaki, T. and Tayasu, I., Are stored carbohydrates necessary for seed production in temperate deciduous trees?, <i>Journal of Ecology</i>, 101, 2, 525–531, 2013.</p>
<p>Ijiri, A., Ohtomo, Y., Morono, Y., Ikehara, M. and Inagaki, F., Increase in acetate concentrations during sediment sample onboard storage: a caution for pore–water geochemical analyses, <i>Geochemical Journal</i>, 47, 5, 567–571, 2013.</p>
<p>Inagaki, F., Hinrichs, K.–U., Kubo, Y. and the Expedition 337 Scientists, Proc. IODP, 337: Tokyo (Integrated Ocean Drilling Program Management International, Inc.), Proceedings volume, 2013.</p>
<p>Kashiwabara, T., Takahashi, Y., Marcus, M., Uruga, T., Tanida, H., Terada, Y. and Usui, A., Tungsten species in natural ferromanganese oxides related to its different behavior from molybdenum in oxic ocean, <i>Geochimica et Cosmochimica Acta</i>, 106, 364–378, 2013.</p>
<p>Kato, S., Nakawake, M., Kita, J., Yamanaka, T., Utsumi, M., Okamura, K., Ishibashi, J., Ohkuma, M. and Yamagishi, A., Characteristics of microbial communities in crustal fluids in a deep–sea hydrothermal field of the Suiyo Seamount, <i>Frontiers in Microbiology</i>, 4, doi:10.3389/fmicb.2013.00085, 2013.</p>
<p>Kobayashi, R., Ogane, Y., Hirai, D., Nishioka, T., Matsumura, M., Kawamura, Y., Matsubayashi, K., Uwatoko, Y., Tanida, H. and Sera, M., Change in Unusual Magnetic Properties by Rh Substitution in CeRu<sub>2</sub>Al<sub>10</sub>, <i>Journal of the Physical Society of Japan</i>, 82, 9, 093702, 2013.</p>
<p>Kondo, A., Kindo, K., Kunimori, K., Nohara, H., Tanida, H., Sera, M., Kobayashi, R., Nishioka, T. and Matsumura, M., Marked Change in the Ground State of CeRu<sub>2</sub>Al<sub>10</sub> Induced by Small Amount of Rh Substitution, <i>Journal of the Physical Society of Japan</i>, 82, 5, 054709, 2013.</p>
<p>Kumagai, K., Tsuda, M., Fukushi, E. and Kawabata, J., Iriomoteolides–4A and –5A, Hydrophilic Macrolides from Marine Dinoflagellate Amphidinium species, <i>Heterocycles</i>, 87, 2615–2623, 2013.</p>
<p>Matsuzaki, K. M., Nishi, H., Hayashi, H., Suzuki, N., Gyawali, B. R., Ikehara, M., Tanaka, T. and Takashima, R., Radiolarian biostratigraphic scheme and stable oxygen isotope stratigraphy in southern Japan (IODP Expedition 315 Site C0001), <i>Newsletters on Stratigraphy</i>, ( in press ).</p>
<p>Misawa, A., Hirata, K., Seeber, L., Arai, K., Nakamura, Y., Rahardiawan, R., Udrek, Fujiwara, T., Kinoshita, M., Baba, H., Kameo, K., Adachi, K., Sarukawa, H., Tokuyama, H., Permana, H., Djajadihardja, Y. S. and Ashi, J., Geological structure of the offshore Sumatra forearc region estimated from high–resolution MCS reflection survey, <i>Earth and Planetary Science Letters</i>, 386, 41–51, 2014.</p>

<p>Mochizuki, N., Maruuchi, T., Yamamoto, Y. and Shibuya, H., Multi-level consistency tests in paleointensity determinations from the welded tuffs of the Aso pyroclastic-flow deposits, <i>Physics of the Earth and Planetary Interiors</i>, 223, 40–54, 2013.</p>
<p>Nara, M., Tonai, S., Shibata, T. and Ikari, Y., Paleogene deep-sea turbiditic successions and characteristic molluscan trace fossils of the Muroto Global Geopark, southwestern Japan, <i>Journal of the Geological Society of Japan</i>, 120, 2, 3–4, 2014.</p>
<p>Nishimura, T., Sato, S., Tawong, W., Sakanari, H., Uehara, K., Shah, M. M. R., Suda, S., Yasumoto, T., Taira, Y., Yamaguchi, H. and Adachi, M., Genetic Diversity and Distribution of the Ciguatera-Causing Dinoflagellate <i>Gambierdiscus</i> spp. (Dinophyceae) in Coastal Areas of Japan, <i>PLoS ONE</i>, 8, 4, e60882, 2013.</p>
<p>Noguchi, T., Mayumi, H., Yamanaka, T., and Okamura, K., Fast Measurement of Dissolved Inorganic Carbon Concentration for Small Volume Interstitial Water by Acid Extraction and Nondispersive Infrared Gas Analysis, <i>Analytical Sciences</i>, vol. 29(1), 9–13, 2013./PDF</p>
<p>Nonaka, H., Hata, R., Doura, T., Nishihara, T., Kumagai, K., Akakabe, M., Tsuda, M., Ichikawa, K. and Sando, S., A platform for designing hyperpolarized magnetic resonance chemical probes, <i>Nature COMMUNICATIONS</i>, 4, 2411–2417, 2013.</p>
<p>Oguri, K., Kawamura, K., Sakaguchi, A., Toyofuku, T., Kasaya, T., Murayama, M., Fujikura, K., N. Glud, R. and Kitazato, H., Hadal disturbance in the Japan Trench induced by the 2011 Tohoku-Oki Earthquake, <i>Scientific Reports</i>, 3, 1915, 2013.</p>
<p>Ohneiser, C., Acton, G. D., Channell, J. E. T., Wilson, G. S., Yamamoto, Y. and Yamazaki, T., A middle Miocene relative paleointensity record from the Equatorial Pacific, <i>Earth and Planetary Science Letters</i>, 374, 227–238, 2013.</p>
<p>Oiwane, H., Ikehara, M., Suganuma, Y., Miura, H., Nakamura, Y., Sato, T., Nogi, Y., Yamane, M. and Yokoyama, Y., Sediment waves on the Conrad Rise, Southern Indian Ocean: Implications for the migration history of the Antarctic Circumpolar Current, <i>Marine Geology</i>, 348, 27–36, 2014.</p>
<p>Okamoto, N. and Usui, A., Regional Distribution of Co-Rich Ferromanganese Crusts and Evolution of the Seamounts in the Northwestern Pacific, <i>Marine Georesources &amp; Geotechnology</i>, 32, 3, 187–206, 2014.</p>
<p>Okamura, K., Noguchi, T., Hatta, M., Sunamura, M., Suzue, T., Kimoto, H., Fukuba, T. and Fujii, T., Development of a 128-channel multi-water-sampling system for underwater platforms and its application to chemical and biological monitoring, <i>Methods in Oceanography</i>, 8, 75–90, 2013/open access in elsevier web page</p>
<p>Provin, C., Fukuba, T., Okamura, K., and Fujii, T., An Integrated Microfluidic System for Manganese Anomaly Detection Based on Chemiluminescence: Description and Practical Use to Discover Hydrothermal Plumes Near the Okinawa Trough, <i>IEEE Journal of Oceanic Engineering</i>, vol. 38(1), 178–185, 2013.</p>

<p>Sagawa, T., Kuwae, M., Tsuruoka, K., Nakamura, Y., Ikehara, M. and Murayama, M., Solar forcing of centennial-scale East Asian winter monsoon variability in the mid- to late Holocene, <i>Earth and Planetary Science Letters</i>, ( in press ).</p>
<p>Sagawa, T., Kuwae, M., Tsuruoka, K., Nakamura, Y., Ikehara, M. and Murayama, M., Solar forcing of centennial-scale East Asian winter monsoon variability in the mid- to late Holocene, <i>Earth and Planetary Science Letters</i>, ( in press ).</p>
<p>Saitoh, Y., Data report: grain size distribution of the late Cenozoic hemipelagic mud from Site C0011, Data report: grain size distribution of the late Cenozoic hemipelagic mud from Site C0011, In Henry, P., Kanamatsu, T., Moe, K., and the Expedition 333 Scientists, <i>Proc. IODP, 333: Tokyo (Integrated Ocean Drilling Program Management International, Inc.)</i>, ( in press ).</p>
<p>Sakakibara, M., Sugawara, H., Tsuji, T. and Ikehara, M., Filamentous microbial fossil from low-grade metamorphosed basalt in northern Chichibu belt, central Shikoku, Japan, <i>Planetary and Space Science</i>, ( in press ).</p>
<p>Stocchi, P., Escutia, C., Houben, A. J. P., Vermeersen, B. L. A., Bijl, P. K., Brinkhuis, H., DeConto, R. M., Galeotti, S., Passchier, S., Pollard, D., Brinkhuis, H., Escutia, C., Klaus, A., Fehr, A., Williams, T., Bendle, J. A. P., Bijl, P. K., Bohaty, S. M., Carr, S. A., Dunbar, R. B., Flores, J. A., Gonzalez, J. J., Hayden, T. G., Iwai, M., Jimenez-Espejo, F. J., Katsuki, K., Kong, G. S., McKay, R. M., Nakai, M., Olney, M. P., Passchier, S., Pekar, S. F., Pross, J., Riesselman, C., Rohl, U., Sakai, T., Shrivastava, P. K., Stickley, C. E., Sugisaki, S., Tauxe, L., Tuo, S., van de Flierdt, T., Welsh, K. and Yamane, M., Relative sea-level rise around East Antarctica during Oligocene glaciation, <i>Nature Geoscience</i>, 6, 380–384, 2013.</p>
<p>Sugawara, H., Sakakibara, M. and Ikehara, M., Recrystallized microbial trace fossils from metamorphosed Permian basalt, southwest Japan, <i>Planetary and Space Science</i>, ( in press ).</p>
<p>Suzuki, T., Watanabe, R., Matsushima, R., Ishihara, K., Uchida, H., Kikutsugi, S., Harada, T., Nagai, H., Adachi, M., Yasumoto, T. and Murata, M., LC-MS/MS analysis of palytoxin analogues in blue humphead parrotfish <i>Scarus ovifrons</i> causing human poisoning in Japan, <i>Food Additives &amp; Contaminants: Part A</i>, 30, 8, 1358–1364, 2013.</p>
<p>Tanaka, K., Ichie, T., Yoneda, R., Tanaka-Oda, A., Azani, M. A. and Majid, N. M., Ontogenetic Changes in Carbohydrate Storage and Sprouting Ability in Pioneer Tree Species in Peninsular Malaysia, <i>Biotropica</i>, 45, 4, 427–433, 2013.</p>
<p>Tanida, H., Tanaka, D., Nonaka, Y., Kobayashi, S., Sera, M., Nishioka, T. and Matsumura, M., Pressure-induced switching of magnetic anisotropy in the antiferromagnetic ordered phase in CeRu<sub>2</sub>Al<sub>10</sub>, <i>Physical Review B</i>, 88, 4, 045135, 2013.</p>
<p>Yamaguchi, T., Norris, R. D. and Dockery, D. T. I., Shallow-marine ostracode turnover during the Eocene-Oligocene transition in Mississippi, the Gulf Coast Plain, USA, <i>Marine Micropaleontology</i>, 106, 10–21, 2014.</p>

<p>Yamamoto, Y., Lin, W., Oda, H., Byrne, T. and Yamamoto, Y., Stress states at the subduction input site, Nankai Subduction Zone, using anelastic strain recovery (ASR) data in the basement basalt and overlying sediments, <i>Tectonophysics</i>, 600, 91–98, 2013.</p>
<p>Yamanaka, T., Maeto, K., Akashi, H., Ishibashi, J., Miyoshi, Y., Okamura, K., Noguchi, T., Kuwahara, Y., Toki, T., Tsunogai, U., Ura, T., Nakatani, T., Maki, T., Kubokawa, K. and Chiba, H., Shallow submarine hydrothermal activity with significant contribution of magmatic water producing talc chimneys in the Wakamiko Crater of Kagoshima Bay, southern Kyushu, Japan, <i>Journal of Volcanology and Geothermal Research</i>, 258, 74–84, 2013.</p>
<p>Yoneda, Y., Yoshida, T., Yasuda, H., Imada, C. and Sako, Y., A thermophilic, hydrogenogenic and carboxydrotrophic bacterium, <i>Calderihabitans maritimus</i> gen. nov., sp. nov., from a marine sediment core of an undersea caldera, <i>International Journal of Systematic and Evolutionary Microbiology</i>, 63, 3602–3608, 2013.</p>
<p>Zhao, X., Oda, H., Wu, H., Yamamoto, T., Yamamoto, Y., Yamamoto, Y., Nakajima, T., Kitamura, Y. and Kanamatsu, T., Magnetostratigraphic results from sedimentary rocks of IODP ' s Nankai Trough Seismogenic Zone Experiment (NanTroSEIZE) Expedition 322, In: Jovane, L., Herrero-Bervera, E., Hinnov, L. A. &amp; Housen, B. A. (eds), <i>Magnetic Methods and the Timing of Geological Processes</i>. Geological Society, London, Special Publications, 373, 191–243, 2013.</p>
<p>廣瀬 孝太郎, 吉岡 薫, 入月 俊明, 岩井 雅夫, 後藤 敏一, 超音波印加による珪藻分析のための簡便な堆積物処理法, <i>第四紀研究</i>, 52, 5, 213–224, 2013.</p>

## ■ 査読のない論文

著者・著作名
<p>足立 真佐雄, 微細藻を用いたバイオ燃料研究開発について, <i>クリーンエネルギー</i>, 4, 33–39, 2013.</p>
<p>池原 実, 掘削コア科学による地球環境システム変動研究拠点, <i>高知大学リサーチマガジン</i>, 第9号, 8–9, 2014.</p>
<p>岩井 雅夫, ほか, 新生代東南極氷床発達史: Exp.318 ウィルクスランド航海, <i>月刊地球 号外</i>, 64, 111–118, 2014.</p>
<p>臼井 朗, 安 熙道, 海底鉱物資源 未利用レアメタル資源の探索と開発 (韓国語訳), CIR 社, 269p, 2013.</p>
<p>臼井 朗, 第5章マンガング塊とマンガングラストの実態, <i>海底鉱物資源の産業利用-日本 EEZ 内の新資源</i> (株) シーエムシー出版, 2013.</p>
<p>岡村 慶, 岡村 千恵子, アメリカ合衆国の初等~中等教育段階における学校段階区分の変遷について, <i>高知大学学術研究報告</i>, 62, 193–205, 2013.</p>

菅沼 悠介, 野木 義史, 池原 実, ANDRILL Coulman High 計画—ロス棚氷上からの地質掘削で取り組む高 CO2 世界の南極氷床復元—, 月刊地球, 36, 2, 87-94, 2014.

安田 尚登, 泥質層のコア層解析ならびに貯留層特性の評価, MH21 研究コンソーシアム 平成 24 年度 研究報告書, 2. 生産性・生産挙動評価技術, 1-47, 2013