

本センター研究者による公表論文リスト

2014 年

■査読のある論文

著者・著作名
Abrajevitch, A., Roberts, A. P. and Kodama, K., Volcanic iron fertilization of primary productivity at Kerguelen Plateau, Southern Ocean, through the Middle Miocene Climate Transition, <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 410, 0, 1–13, 2014. Akakabe, M., Kumagai, K., Tsuda, M., Konishi, Y., Tominaga, A., Tsuda, M., Fukushi, E. and Kawabata, J., Iriomoteolide-13a, a cytotoxic 22-membered macrolide from a marine dinoflagellate <i>Amphidinium</i> species, <i>Tetrahedron</i> , 70, 18, 2962–2965, 2014.
Asahi, H., Kender, S., Ikehara, M., Sakamoto, T., Takahashi, K., Ravelo, A. C., Zarkian, C. A. A., Khim, B. K. and Leng, M. J., Orbital-scale benthic foraminiferal oxygen isotope stratigraphy at the northern Bering Slope Site U1343 (IODP Expedition 323) and its Pleistocene paleoceanographic significance, <i>Deep Sea Research II</i> , (in press).
Bau, M., Schmidt, K., Koschinsky, A., Hein, J., Kuhn, T. and Usui, A., Discriminating between different genetic types of marine ferro-manganese crusts and nodules based on rare earth elements and yttrium, <i>Chemical Geology</i> , 381, 0, 1–9, 2014.
Blaise, T., Barbarand, J., Kars, M., Ploquin, F., Aubourg, C., Brigaud, B., Cathelineau, M., El Albani, A., Gautheron, C., Izart, A., Janots, D., Michels, R., Pagel, M., Pozzi, J.-P., Boiron, M.-C. and Landrein, P., Reconstruction of low temperature (<100 ° C) burial in sedimentary basins: A comparison of geothermometer in the intracontinental Paris Basin, <i>Marine and Petroleum Geology</i> , 53, 0, 71–87, 2014.
Espiritu, R. A., Matsumori, N., Tsuda, M. and Murata, M., Direct and stereospecific interaction of amphidinol 3 with sterol in lipid bilayers, <i>Biochemistry</i> , 53, 20, 3287–93, 2014.
Fukuchi, R., Fujimoto, K., Kameda, J., Hamahashi, M., Yamaguchi, A., Kimura, G., Hamada, Y., Hashimoto, Y., Kitamura, Y. and Saito, S., Changes in illite crystallinity within an ancient tectonic boundary thrust caused by thermal, mechanical, and hydrothermal effects: an example from the Nobeoka Thrust, southwest Japan, <i>Earth, Planets and Space</i> , 66, 1, 116, 2014.
Gallagher, S. J., Exon, N., Seton, M., Ikehara, M., Hollis, C. J., Arculus, R., D'Hondt, S., Foster, C., Gurnis, M., Kennett, J. P., McKay, R., Malakoff, A., Mori, J., Takai, K. and Wallace, L., Exploring new drilling prospects in the southwest Pacific, <i>Scientific Drilling</i> , 17, 45–50, 2014.
Goto, K. T., Anbar, A. D., Gordon, G. W., Romaniello, S. J., Shimoda, G., Takaya, Y., Tokumaru, A., Nozaki, T., Suzuki, K., Machida, S., Hanyu, T. and Usui, A., Uranium isotope systematics of ferromanganese crusts in the Pacific Ocean: Implications for the marine ²³⁸ U/ ²³⁵ U isotope system, <i>Geochimica et Cosmochimica Acta</i> , 146, 0, 43–58, 2014.

<p>Hamahashi, M., Hamada, Y., Yamaguchi, A., Kimura, G., Fukuchi, R., Saito, S., Kameda, J., Kitamura, Y., Fujimoto, K. and Hashimoto, Y., Multiple damage zone structure of an exhumed seismogenic megasplay fault in a subduction zone – A study from the Nobeoka Thrust Drilling Project –, <i>Earth, Planets and Space</i>, 67, 2015.</p>
<p>Hashimoto, Y. and Yamaguchi, M., Data report: compressional wave velocity measurements on sediments from the reference site off Kumano, Nankai Trough, NantroSEIZE Expedition 333, <i>Proc. IODP</i>, In Henry, P., Kanamatsu, T., Moe, K., and the Expedition 333 Scientists, 333, 2014.</p>
<p>Hashimoto, Y. and Yamano, N., Geological evidence for shallow ductile–brittle transition zones along subduction interfaces: example from the Shimanto Belt, SW Japan, <i>Earth, Planets and Space</i>, 66, 1, 141, 2014.</p>
<p>Hashimoto, Y., Eida, M. and Ueda, Y., Changes in paleostress state along a subduction zone preserved in an on–land accretionary complex, the Yokonami melange in the Cretaceous Shimanto Belt, Kochi, southwest Japan, <i>Tectonics</i>, 33, 10, 2013TC003487, 2014.</p>
<p>Hojo, M., Kondo, Y., Zei, K., Okamura, K., Chen, Z. and Kobayashi, M., Conductometric and UV–visible Spectroscopic Studies on the Strong Association between Polysulfonic or Dicarboxylic Acids and Their Conjugate Anions in Acetonitrile, <i>Bulletin of the Chemical Society of Japan</i>, 87, 1, 98–109, 2014.</p>
<p>Hojo, M., Uji–yie, Y., Tsubota, S., Tamura, M., Yamamoto, M., Okamura, K. and Isshiki, K., Can pure gold be dissolved in seawater mixed with aqueous nitric acid?, <i>Journal of Molecular Liquids</i>, 194, 0, 68–76, 2014.</p>
<p>Ijiri, A., Yamane, M., Ikehara, M., Yokoyama, Y. and Okazaki, Y., Online oxygen isotope analysis of sub–milligram quantities of biogenic opal using the inductive high–temperature carbon reduction method coupled with continuous–flow isotope ratio mass spectrometry, <i>Journal of Quaternary Science</i>, 29, 5, 455–462, 2014.</p>
<p>Inoue, Y., Kenzo, T., Tanaka–Oda, A., Yoneyama, A. and Ichie, T., Leaf water use in heterobaric and homobaric leafed canopy tree species in a Malaysian tropical rain forest, <i>Photosynthetica</i>, 53, 2, 177–186, 2015.</p>
<p>Isaji, Y., Kawahata, H., Ohkouchi, N., Murayama, M. and Tamaki, K., Terrestrial environmental changes around the Gulf of Aden over the last 210 kyr deduced from the sediment n–alkane record: Implications for the dispersal of <i>Homo sapiens</i>, <i>Geophysical Research Letters</i>, 2015GL063196, 2015.</p>
<p>Kars, M. and Kodama, K., Authigenesis of magnetic minerals in gas hydrate–bearing marine sediments in gas hydrate–bearing sediments, Nankai Trough, offshore Japan, <i>Geochemistry, Geophysics, Geosystems</i>, 16, 947–961, 2015.</p>
<p>Kars, M. and Kodama, K., Authigenesis of magnetic minerals in gas hydrate–bearing marine sediments in gas hydrate–bearing sediments, Nankai Trough, offshore Japan, <i>Geochemistry, Geophysics, Geosystems</i>, 16,947–961, 2015.</p>

<p>Kars, M., Aubourg, C. and Suarez-Ruiz, I., Neoformed magnetic minerals as an indicator of moderate burial : the key example of Middle Paleozoic sedimentary rocks, West Virginia, USA, AAPG Bulletin, (in press).</p>
<p>Kars, M., Aubourg, C., Labaume, P., Berquo, T. and Cavailles, T., Burial Diagenesis of Magnetic Minerals: New Insights from the Gres d' Annot Transect (SE France), <i>Minerals</i>, 4, 3, 667–689, 2014.</p>
<p>Kars, M., Lerouge, C., Grangeon, S., Aubourg, C., Tournassat, C., Made, B. and Claret, F., Identification of nanocrystalline goethite in reduced clay formations. Application to the Callovian–Oxfordian formation of Bure (France), <i>American Mineralogist</i>, (in press).</p>
<p>Kashiwabara, T., Oishi, Y., Sakaguchi, A., Sugiyama, T., Usui, A. and Takahashi, Y., Chemical processes for the extreme enrichment of tellurium into marine ferromanganese oxides, <i>Geochimica et Cosmochimica Acta</i>, 131, 0, 150–163, 2014.</p>
<p>Kato, H., Nishioka, T. and Matsumura, M., An NQR Study of A' Cu₃Ru₄O₁₂: Effect of the A' -Ion Substitution, An NQR Study of A' Cu₃Ru₄O₁₂: Effect of the A' -Ion Substitution, <i>JPS Conference Proceedings</i>, 3, 011058, 2014.</p>
<p>Kawamura, Y., Kawaai, T., Nakayama, T., Hayashi, J., Takeda, K., Sekine, C., Nishioka, T. and Ohishi, Y., Synchrotron X-ray Diffraction Study of CeRu₂Al₁₀ under High Pressure and Low Temperature, <i>JPS Conference Proceedings</i>, 3, 011029, 2014.</p>
<p>Kimura, G., Hashimoto, Y., Kitamura, Y., Yamaguchi, A. and Koge, H., Middle Miocene swift migration of the TTT triple junction and rapid crustal growth in southwest Japan: A review, <i>Tectonics</i>, 33, 7, 2014TC003531, 2014.</p>
<p>Kioka, A., Ashi, J., Sakaguchi, A., Sato, T., Muraoka, S., Yamaguchi, A., Hamamoto, H., Wang, K. and Tokuyama, H., Possible mechanism of mud volcanism at the prism–backstop contact in the western Mediterranean Ridge Accretionary Complex, <i>Marine Geology</i>, (in press).</p>
<p>Kishimoto, Y., Mizoo, M., Matsumura, M., Kato, H., Kitagawa, K. and Nishioka, T., Co-NQR Study for Complex Magnetic Order in Non-Centrosymmetric CeCoGe₃, <i>JPS Conference Proceedings</i>, 3, 011087, 2014.</p>
<p>Kiyokawa, S., Koge, S., Ito, T. and Ikehara, M., An ocean–floor carbonaceous sedimentary sequence in the 3.2-Ga Dixon Island Formation, coastal Pilbara terrane, Western Australia, <i>Precambrian Research</i>, 255, 124–143, 2014.</p>
<p>Kobayashi, R., Kaneko, K., Saito, K., Mignot, J.-M., Andre, G., Robert, J., Wakimoto, S., Matsuda, M., Chi, S., Haga, Y., Matsuda, T. D., Yamamoto, E., Nishioka, T., Matsumura, M., Tanida, H. and Sera, M., Influence of Electron Doping on Magnetic Order in CeRu₂Al₁₀, <i>Journal of the Physical Society of Japan</i>, 83, 10, 104707, 2014.</p>

<p>Kodama, K., An, Z., Chang, H. and Qiang, X., Quantification of magnetic nanoparticles with broad-band-frequency magnetic susceptibility measurements: a case study of an upper loess/palaeosol succession at Luochuan, Chinese Loess Plateau, <i>Geophysical Journal International</i>, 199, 2, 767–783, 2014.</p>
<p>Kodama, K., Measurement of dynamic magnetization induced by a pulsed field: Proposal for a new rock magnetism method, <i>Frontiers in Earth Science</i>, doi: 10.3389/feart.2015.00005, 2015.</p>
<p>Komaki, K., Okamura, K., Hatta, M. and Noguchi, T., Development and application of chemical sensors mounting on underwater vehicles to detect hydrothermal plumes, <i>Proceedings for Underwater Technology 2015</i>, 2015.</p>
<p>Kondo, A., Kindo, K., Y., K., Jaime, M., Nakamura, M., H., N., Tanida, H., Sera, M. and Nishioka, T., Transport properties of CeT₂Al₁₀ (T = Ru and Os) in pulsed high magnetic fields, <i>JPS Conference Proceedings</i>, 3, 011009, 2014.</p>
<p>Kumagai, K., Akakabe, M., Tsuda, M., Tsuda, M., Fukushi, E., Kawabata, J., Abe, T. and Ichikawa, K., Observation of Glycolytic Metabolites in Tumor Cell Lysate by Using Hyperpolarization of Deuterated Glucose, <i>Biological and Pharmaceutical Bulletin</i>, 37, 8, 1416–1421, 2014.</p>
<p>Kumagai, K., Minamida, M., Akakabe, M., Tsuda, M., Konishi, Y., Tominaga, A., Fukushi, E. and Kawabata, J., Amphirionin-2, a novel linear polyketide with potent cytotoxic activity from a marine dinoflagellate <i>Amphidinium</i> species, <i>Bioorganic & Medicinal Chemistry Letters</i>, 25, 3, 635–8, 2015.</p>
<p>Kumagai, K., Tsuda, M., Masuda, A., Fukushi, E. and Kawabata, J., Iriomoteolide-2a, a cytotoxic 23-membered macrolide from marine benthic dinoflagellate <i>Amphidinium</i> species., <i>Heterocycles</i>, 91, 2, 265–274, 2015.</p>
<p>Kuroda, J., Ihoriya, N., S. Hori, R., O. Ogawa, N., Ikehara, M., Tanimizu, M. and Ohkouchi, N., Geochemistry of Aptian bedded chert succession from the deep Pacific basin: new insights into Cretaceous Oceanic Anoxic Event 1a, <i>Geological Society of America Bulletin</i>, (in press).</p>
<p>Maekawa, Y., Hirono, T., Yabuta, H., Mukoyoshi, H., Kitamura, M., Ikehara, M., Tanikawa, W. and Ishikawa, T., Estimation of slip parameters associated with frictional heating during the 1999 Taiwan Chi-Chi earthquake by vitrinite reflectance geothermometry, <i>Earth, Planets and Space</i>, 66, 1, 1–7, 2014.</p>
<p>Matsumura, M., Tomita, N., Matsuoka, J., Kishimoto, Y., Kato, H., Kitagawa, K., Nishioka, T., Tanida, H. and Sera, M., Ru-NQR Study for Novel Phase Transition in CeRu₂Al₁₀, <i>Journal of the Physical Society of Japan</i>, 83, 10, 103705, 2014.</p>
<p>Matsuzaki, K. M., Nishi, H., Hayashi, H., Suzuki, N., Gyawali, B. R., Ikehara, M., Tanaka, T. and Takashima, R., Radiolarian biostratigraphic scheme and stable oxygen isotope stratigraphy in southern Japan (IODP Expedition 315 Site C0001), <i>Newsletters on Stratigraphy</i>, 47, 1, 107–130, 2014.</p>
<p>Mignot, J.-M., Alekseev, P. A., Robert, J., Petit, S., Nishioka, T., Matsumura, M., Kobayashi, R., Tanida, H., Nohara, H. and Sera, M., Dispersive magnetic-resonance mode in the Kondo semiconductor CeFe₂Al₁₀, <i>Physical Review B</i>, 89, 16, 161103, 2014.</p>

<p>Minamida, M., Kumagai, K., Ulanova, D., Akakabe, M., Konishi, Y., Tominaga, A., Tanaka, H., Tsuda, M., Fukushi, E., Kawabata, J. and Masuda, A., Amphirionin-4 with potent proliferation-promoting activity on bone marrow stromal cells from a marine dinoflagellate amphidinium species, <i>Organic Letters</i>, 16, 18, 4858-61, 2014.</p>
<p>Nagai, S., Ishii, R., Suhaili, A. B., Kobayashi, H., Matsuoka, M., Ichie, T., Motohka, T., Kendawang, J. J. and Suzuki, R., Usability of noise-free daily satellite-observed green-red vegetation index values for monitoring ecosystem changes in Borneo, <i>International Journal of Remote Sensing</i>, 35, 23, 7910-7926, 2014.</p>
<p>Nagano, K., Hasegawa, T., Ogita, N., Udagawa, M., Tanida, H., Nohara, H., Nakamura, M., Sera, M., Nishioka, T. and Matsumura, M., Measurement of Crystal Field Excitations in NdT₂Al₁₀ (T = Ru and Os) by Raman Scattering, <i>JPS Conference Proceedings</i>, 3, 011070, 2014.</p>
<p>Nakamura, Y., Kodaira, S., Cook, B., Jeppson, T., Kasaya, T., Yamamoto, Y., Hashimoto, Y., Yamaguchi, M., Obana, K. and Fujie, G., Seismic imaging and velocity structure around the JFAST drill site in the Japan Trench: low V_p, high V_p/V_s in the transparent frontal prism, <i>Earth, Planets and Space</i>, 66, 1, 121, 2014.</p>
<p>Nishimura, T., Sato, S., Tawong, W., Sakanari, H., Yamaguchi, H. and Adachi, M., Morphology of <i>Gambierdiscus scabrosus</i> sp. nov. (Gonyaulacales): a new epiphytic toxic dinoflagellate from coastal areas of Japan, <i>Journal of Phycology</i>, 50, 3, 506-514, 2014. Noguchi, T. and Okamura, K., Data report: long-term storage of cuttings for geochemical research, <i>Proceedings of the Integrated Ocean Drilling Program</i>, 319, 2014.</p>
<p>Okamoto, A., Musya, M., Hashimoto, Y. and Tsuchiya, N., Distribution of CO₂ fluids in the Shimanto belt on Muroto Peninsula, SW Japan: possible injection of magmatic CO₂ into the accretionary prism, <i>Earth, Planets and Space</i>, 66, 1, 33, 2014</p>
<p>Okamoto, N. and Usui, A., Regional Distribution of Co-Rich Ferromanganese Crusts and Evolution of the Seamounts in the Northwestern Pacific, <i>Marine Georesources & Geotechnology</i>, 32, 3, 187-206, 2014.</p>
<p>Okamoto, N. and Usui, A., Regional Distribution of Co-Rich Ferromanganese Crusts and Evolution of the Seamounts in the Northwestern Pacific, <i>Marine Georesources & Geotechnology</i>, 32, 3, 187-206, 2014. Okamura, K., Kimoto, H., Hatta, M., Noguchi, T., Nakaoka, A., Suzue, T. and Kimoto, T., Potentiometric open-cell titration for seawater alkalinity considering temperature dependence of titrant density and Nernst response of pH electrode, <i>Geochemical Journal</i>, 48, 2, 153-163, 2014.</p>
<p>Okamura, K., Kimoto, H., Noguchi, T., Hatta, M., Kawakami, H. and Suzue, T., Colorimetric pH Measurement for Seawater Samples Using a Three Light-Emitting Diodes Detector and a Calibration Method for Temperature Dependence, <i>Analytical Sciences</i>, 30, 12, 1135-1141, 2014.</p>
<p>Patterson, M. O., McKay, R., Naish, T., Escutia, C., Jimenez-Espejo, F. J., Raymo, M. E., Meyers, S. R., Tauxe, L., Brinkhuis, H. and Iodp Expedition 318 Scientists (岩井 雅夫), Orbital forcing of the East Antarctic ice sheet during the Pliocene and Early Pleistocene, <i>Nature Geoscience</i>, 7, 11, 841-847, 2014.</p>

<p>Reinardy, B. T. I., Escutia, C., Iwai, M., Jimenez-Espejo, F. J., Cook, C., van de Flierdt, T. and Brinkhuis, H., Repeated advance and retreat of the East Antarctic Ice Sheet on the continental shelf during the early Pliocene warm period, <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i>, 422, 65–84, 2015.</p>
<p>Riethdorf, J.-R., Thibodeau, B., Ikehara, M., Nurnberg, D., Max, L., Tiedemann, R. and Yokoyama, Y., Surface nitrate utilization in the Bering Sea since 180 ka BP: Insight from sedimentary nitrogen isotopes, <i>Deep Sea Research II</i>, (in press).</p>
<p>Sagawa, T., Kuwae, M., Tsuruoka, K., Nakamura, Y., Ikehara, M. and Murayama, M., Solar forcing of centennial-scale East Asian winter monsoon variability in the mid- to late Holocene, <i>Earth and Planetary Science Letters</i>, 395, 0, 124–135, 2014.</p>
<p>Sagawa, T., Kuwae, M., Tsuruoka, K., Nakamura, Y., Ikehara, M. and Murayama, M., Solar forcing of centennial-scale East Asian winter monsoon variability in the mid- to late Holocene, <i>Earth and Planetary Science Letters</i>, 395, 124–135, 2014.</p>
<p>Saitoh, Y., Ishikawa, T., Tanimizu, M., Murayama, M., Ujiie, Y., Yamamoto, Y., Ujiie, K. and Kanamatsu, T., Sr, Nd, and Pb isotope compositions of hemipelagic sediment in the Shikoku Basin: implications for sediment transport by the Kuroshio and Philippine Sea plate motion in the late Cenozoic, <i>Earth and Planetary Science Letters</i>, (in press).</p>
<p>Saitoh, Y., Ishikawa, T., Tanimizu, M., Murayama, M., Ujiie, Y., Yamamoto, Y., Ujiie, K. and Kanamatsu, T., Sr, Nd, and Pb isotope compositions of hemipelagic sediment in the Shikoku Basin: implications for sediment transport by the Kuroshio and Philippine Sea plate motion in the late Cenozoic, <i>Earth and Planetary Science Letters</i>, (in press).</p>
<p>Sakakibara, M., Sugawara, H., Tsuji, T. and Ikehara, M., Filamentous microbial fossil from low-grade metamorphosed basalt in northern Chichibu belt, central Shikoku, Japan, <i>Planetary and Space Science</i>, 95, 84–93, 2014.</p>
<p>Sato, M., Yamamoto, Y., Nishioka, T., Kodama, K., Mochizuki, N. and Tsunakawa, H., Hydrostatic pressure effect on magnetic hysteresis parameters of multidomain magnetite: Implication for crustal magnetization, <i>Physics of the Earth and Planetary Interiors</i>, 233, 33–40, 2014.</p>
<p>Shinozaki, T., Fujino, S., Ikehara, M., Sawai, Y., Tamura, T., Goto, K., Sugawara, D. and Abe, T., Marine biomarkers deposited on coastal land by the 2011 Tohoku-oki tsunami, <i>Natural Hazards</i>, (in press).</p>
<p>Sugawara, H., Sakakibara, M. and Ikehara, M., Recrystallized microbial trace fossils from metamorphosed Permian basalt, southwestern Japan, <i>Planetary and Space Science</i>, 95, 79–83, 2014.</p>
<p>Suzuki, T., Kamikawa, S., Ishii, S., Noguchi, Y., K., F. T., Fujii, K. and Nishioka, T., Successive Phase Transitions in TbFe₂Al₁₀, <i>JPS Conference Proceedings</i>, 3, 011038, 2014.</p>
<p>Tanaka, H. and Yamamoto, Y., Microscopic observation of titanomagnetite grains during palaeointensity experiments of volcanic rocks, <i>Geophysical Journal International</i>, 196, 1, 145–159, 2014.</p>

<p>Tanaka, K., Inoue, Y., Yoshimura, M., Yamashita, M., Tanaka-Oda, A. and Ichie, T., Height-related changes in leaf photosynthetic traits in diverse Bornean tropical rain forest trees, <i>Oecologia</i>, 177, 1, 191–202, 2015.</p>
<p>Tanida, H., Nakamura, M., Sera, M., Kondo, A., Kindo, K., Nishioka, T. and Matsumura, M., Collapse of Anisotropic Hybridization Gap below 20 K in Kondo Semiconductor CeFe₂Al₁₀ by Pressure and Magnetic Field, <i>Journal of the Physical Society of Japan</i>, 83, 8, 084708, 2014.</p>
<p>Tanida, H., Nohara, H., Nakamura, M., Sera, M., Terashima, T., Uji, S., Nishioka, T. and Matsumura, M., Anisotropic c-f Hybridization in Kondo Semiconductor CeT₂Al₁₀ (T = Ru, Os, and Fe), <i>JPS Conference Proceedings</i>, 3, 011073, 2014.</p>
<p>Tanida, H., Nohara, H., Sera, M., Nishioka, T., Matsumura, M. and Kobayashi, R., Collapse of spin gap by Ru-site substitution in the antiferromagnetic Kondo semiconductor CeRu₂Al₁₀, <i>Physical Review B</i>, 90, 16, 165124, 2014.</p>
<p>Tauxe, L., Sugisaki, S., Jimenez-Espejo, F., Escutia, C., Cook, C. P., van de Flierdt, T. and Iwai, M., Geology of the Wilkes land sub-basin and stability of the East Antarctic Ice Sheet: Insights from rock magnetism at IODP Site U1361, <i>Earth and Planetary Science Letters</i>, 412, 0, 61–69, 2015.</p>
<p>Tawong, W., Nishimura, T., Sakanari, H., Sato, S., Yamaguchi, H. and Adachi, M., Distribution and molecular phylogeny of the dinoflagellate genus <i>Ostreopsis</i> in Thailand, <i>Harmful Algae</i>, 37, 0, 160–171, 2014.</p>
<p>Toyofuku, T., Duros, P., Fontanier, C., Mamo, B., Bichon, S., Buscaïl, R., Chabaud, G., Deflandre, B., Goubet, S., Gremare, A., Menniti, C., Fujii, M., Kawamura, K., Koho, K. A., Noda, A., Namegaya, Y., Oguri, K., Radakovitch, O., Murayama, M., de Nooijer, L. J., Kurasawa, A., Ohkawara, N., Okutani, T., Sakaguchi, A., Jorissen, F., Reichart, G.-J. and Kitazato, H., Unexpected biotic resilience on the Japanese seafloor caused by the 2011 Tohoku-Oki tsunami, <i>Scientific Reports</i>, 4, 2014.</p>
<p>Tsubaki, S., Hiraoka, M., Hadano, S., Okamura, K., Ueda, T., Nishimura, H., Kashimura, K. and Mitani, T., Effects of acidic functional groups on dielectric properties of sodium alginates and carrageenans in water, <i>Carbohydrate Polymers</i>, 115, 0, 78–87, 2015.</p>
<p>Van Kranendonk, M. J., Mazumder, R., Yamaguchi, K. E., Yamada, K. and Ikehara, M., Sedimentology of the Paleoproterozoic Kungarra Formation, Turee Creek Group, Western Australia: A conformable record of the transition from early to modern Earth, <i>Precambrian Research</i>, 256, 314–343, 2015.</p>
<p>Wittaya, T., Nishimura, T., Sakanari, H., Sato, S., Yamaguchi, H. and Adachi, M., Characterization of <i>Gambierdiscus</i> and <i>Coolia</i> (Dinophyceae) isolates from Thailand based on morphology and phylogeny, <i>Phycological Research</i>, (in press). Yamada, K., Irizuki, T., Ikehara, K. and Okamura, K., Calibration of past water temperature in the Sea of Japan based on Mg/Ca of ostracode shells of two shallow marine species in the genus <i>Cytheropteron</i>, <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i>, 410, 0, 244–254, 2014.</p>

<p>Yamaguchi, H., Minamida, M., Matsubara, T. and Okamura, K., Novel blooms of the diatom <i>Asteroplanus karianus</i> deplete nutrients from Ariake Sea coastal waters, <i>Marine Ecology Progress Series</i>, 517, 51–60, 2014.</p>
<p>Yamaguchi, H., Tomori, Y., Tanimoto, Y., Oku, O. and Adachi, M., Evaluation of the effects of light intensity on growth of the benthic dinoflagellate <i>Ostreopsis</i> sp. 1 using a newly developed photoirradiation–culture system and a novel regression analytical method, <i>Harmful Algae</i>, 39, 0, 48–54, 2014.</p>
<p>Yamaguchi, T. and Norris, R. D., No place to retreat: Heavy extinction and delayed recovery on Pacific Guyot during the Paleocene–Eocene Thermal Maximum, <i>Geology</i>, (in press).</p>
<p>Yamaguchi, T., Suzuki, H., Aung–Naing–Soe, Thaug–Htike, Nomura, R. and Takai, M., A new late Eocene Bicornucythere species (Ostracoda, Crustacea) from Myanmar, and its significance for the evolutionary history of the genus, <i>Zootaxa</i>, 3919, 2, 306–326, 2015.</p>
<p>Yamamoto, Y., Yamazaki, T., Acton, G. D., Richter, C., Guidry, E. P. and Ohneiser, C., Palaeomagnetic study of IODP Sites U1331 and U1332 in the equatorial Pacific—extending relative geomagnetic palaeointensity observations through the Oligocene and into the Eocene, <i>Geophysical Journal International</i>, 196, 2, 694–711, 2014.</p>
<p>Yamazaki, T. and Yamamoto, Y., Paleointensity of the geomagnetic field in the Late Cretaceous and earliest Paleogene obtained from drill cores of the Louisville seamount trail, <i>Geochemistry, Geophysics, Geosystems</i>, 15, 6, 2454–2466, 2014.</p>
<p>Yasuda, H., Ogata, T., Yamane, S., Takagi, H., Akimoto, S., Kihara, T., Takamori, H. and Fukunaga, K., Introduction of New Method for Greenhouse Heating using Clean GTL Fuel, <i>Environmental Control in Biology</i>, 52, 2, 113–116, 2014.</p>
<p>Yokota, K., Nishioka, T., Kitagawa, K., Kato, H. and Matsumura, M., Magnetic Properties of New Dilute Rare Earth Compounds R₂Ru₃Al₁₅, <i>JPS Conference Proceedings</i>, 3, 011051, 2014.</p>
<p>Yoshimatsu, T., Yamaguchi, H., Iwamoto, H., Nishimura, T. and Adachi, M., Effects of temperature, salinity and their interaction on growth of Japanese <i>Gambierdiscus</i> spp. (Dinophyceae), <i>Harmful Algae</i>, 35, 0, 29–37, 2014.</p>
<p>Zekko, Y., Yamamoto, Y., Yamaoka, H., Tajima, F., Nishioka, T., Strigari, F., Severing, A., Lin, J.–F., Hiraoka, N., Ishii, H., Tsuei, K.–D. and Mizuki, J. i., Correlation between the valence state of cerium and the magnetic transition in Ce(Ru_{1–x}Fe_x)₂Al₁₀ studied by resonant x–ray emission spectroscopy, <i>Physical Review B</i>, 89, 12, 125108, 2014.</p>
<p>安田 尚登, 掘削コアにみるメタンハイドレート胚胎層の堆積学的特徴 (特集テーマ 深海底地盤工学 : メタンハイドレート), <i>地盤工学会誌 : 土と基礎</i>, 63, 2, 10–13, 2015</p>

■査読のない論文

著者・著作名
足立 真佐雄, 岡田 茂, 澤山 茂樹, 鈴木 健吾, 海産珪藻によるバイオ燃料製造技術開発について, 日本エネルギー学会誌, 93, 444-451, 2014.
岡村 慶, 岡村 千恵子, アメリカ合衆国公立学校における初等～中等教育への進学状況について, 高知大学学術研究報告, 第 63 巻, 1-8, 2014.
臼井 朗, 他, 深海底鉱物資源の動向—概論—, ラウンドテーブル・レポート, 125, 2014.
徳山 英一他, 深海底鉱物資源開発動向調査, 海洋資源・産業ラウンドテーブル, 2014.
Nishioka, T., Discovery of heavy fermion antiferromagnetic Kondo insulator CeRu ₂ Al ₁₀ , Journal of Flux Growth, 9, 62, 2014.
Tajima, F., Nishioka, T., Kitagawa, K., Kato, H. and Matsumura, M., Single crystal growth of substituted CeRu ₂ Al ₁₀ system by Al-self flux method, Journal of Flux Growth, 9, 94, 2014.
Iwai, M., Ikehara, K. and Kanamatsu, T., Tosabae Trough: Stratigraphic record of turbidites deposition in an isolate slope basin as a paleoseismometer of Nankai Great Earthquakes., Kaiyo “Cruise Report” KY13-17, p.12-15. Japan Agency for marine-Earth Science and Technology (JAMSTEC), 2014.
Iwai, M., Kanamatsu, T., Hattori, T. and Fukagawa, S., Multi narrow beam survey, Kaiyo “Cruise Report” KY13-17, p.42-43. Japan Agency for marine-Earth Science and Technology (JAMSTEC), 2014.
Iwai, M., Kobayashi, M., Shimizu, E. and Kanamatsu, T., Magnetic susceptibility, Kaiyo “Cruise Report” KY13-17, p.42-43. Japan Agency for marine-Earth Science and Technology (JAMSTEC), 2014.
Iwai, M., Shimizu, E., Sugisaki, T. and Kobayashi, M., Appendix: Core image scanning and photographs, Kaiyo “Cruise Report” KY13-17, p.46-57. Japan Agency for marine-Earth Science and Technology (JAMSTEC), 2014.
岩井 雅夫, 香月 興太, 杉崎 彩子, 山根 雅子, 酒井 豊三郎, Francisco. J. Jimenez Espejo, Exp. 318 Scientists, 新生代東南極氷床発達史:Exp.318 ウィルクスランド航海, 月刊地球 号外, 64, 111-118, 2014.